EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

ZOOLOGY - BOTANY
LIBRARY
COLUMBIA UNIVERSITY

Volume XI, 1957

Published Quarterly

At Prince and Lemon Streets, Lancaster, Pa.

By the

Society for the Study of Evolution

INDEX TO VOLUME XI, 1957

actualism, 56–59
adaptation, hole-nesting birds, 339–347; social, in insects, 32–39
adaptions, skeletal in *Sceloporus,* 65–83
adaptive evolution, avian wing, 212–224; insulation, 257–259; radiation, 127–128; values, chromosomal arrangements, 84–93
aerodynamic characteristics, bird wings, 215 (tbl.)
Albrecht, F. O., 167–177
algal limestone, pre-Cambrian, 57
Amaranths, dioecious, 11–31; coastal species, 25–26; distribution patterns, 13–15; habitat, 15–16, 24–26; hybridization, interior species, 16–28, fig. 18, with monoecious species, 23–24, ranges of species, 11 (fig.); southwestern species, 24–25; variation between species, 16–23, 25, 26
Amaranthus, 11
Amniota, sex chromosomes, 163–165
Anderson, E., 260–262
Andrya, 361–362
Anthocopa, 133–162
anthophilous insects, evolutionary relations to entophilous plant, 466–481; sensory mechanism, 475–478
ants, species in faunas, 298–299
Ashmeadiella, 133–162
Aster, 482–486; *cordifolias,* 483; *turbinellus,* 484
ATP utilization, 46–48
Avers, C. J., 482–486
avian wing, adaptive evolution, 212–224; basic forms, 216–221; lift devices, 212–216 (fig.); primitive, 221–224
bacteria, pre-Cambrian, 57
Baker, H. G., 449–460
bananaquit, 448–448
bats, pollination by, 449–460
Battaglia, B., 94–105
bears, Darwinian selection in, 412–416
Birch, L. C., 94–105
Blackith, R. E., 166–177
Bonnier, G., 271–279, 369–371, 487
boring sponges, 294–297
Brncic, O., 300–310
cacao, 381–397; distribution, map, 382; evolution, 390–395; hybrids, 387–390; pod morphology, 384; populations, Venezuela, 385–390; regions, map, 382
Calhoun, D. W., 372–373
Central America, *Drosophila willistoni,* 280–294
cestoda, in microtine rodents, 265 (tbl.)
characters, weighting of, 130–131
Chelonia, sex chromosomes, 164
chromosomal, arrangements, 84–93; polymorphism, 84; variation, continental and island populations, 280–291
Chrysolophus, 430 (fig.)
Ciferri, R. and F., 381–397
classification, bird nesting, 342; quantitative approach to, 130–162
classificatory problems, 155–158
Clethrionomys, 364
Cliona, 294–297
Clionidae, 294–297; vertical distribution at Rovigno, 295 (fig.)
clutch size, hole-nesting birds, 344
coacervate division, 50
Comfort, theory of senescence, 399
concentration of organic molecules, 40–43
condylarth, origin of lagomorpha, 422–424
convergency, in flora evolution, 473–475
correlation, group structure, 145–149; matrix, 143–145; morphology and ecology, *Sceloporis,* 80–81; procedures, Q-techniques, R-techniques, 142–143
courtship, hole-nesting birds, 340–341
cross breeding tests, species of *Scaphiopus,* 332
Crustacea (Malacostraca), evolutionary trends, 174–184
Darwinian selection, in bears, 412–416
development, viability mutants, 271–279
Dicrostonyx, 364
differentiation, ecological, Clionidae, 294–297
dioecious amaranths, 11–31
DNA reproduction, radiation, 51–52
Dobzhansky, Th., 280–294, 311–319
donorism, in insect societies, 36–38; mathematical model, 33–36
Drosophila, altiplanica, 303; *gaucha,* 302–303; *insularis,* sp.n., 292–293; *melanogaster,* 271–279, 364–371; Mesophragmatica group, 300–310; *orkui,* 303; *pavani,* 303; persimilis, 84–93; *pseudoobscura,* 312–319, changes in inversion system, 248–256, inversion system, 225–247, longevity of hybrids, 348–360, populations, 225–247, recombinations, 225–247; *viracochi,* 303; *willistoni,* 94–105, 280–294
ecological aspects of tetrapod origin, 373–376; comparison, species of *Sceloporus,* 76–80; niche differentiation, 294–297
ecology, leafhopper, 119–120
Edgren, R. A., 372–373
egg color, hole-nesting birds, 341–343
embryonic mortality, pheasant hybrids, 438–441
Ensatina escholtzi, 256–270
entomophilous plants, 466–481
Epling, C., 225–247, 248–256
Epomophorus gambianus, 451–452 (fig.)
Erythroneura artabella, lawsoni, torella, usitata, 113
Etheostoma spectabile, 1–10
Etheostomatinae, 2
Eutheria, sex chromosomes, 165
evolution of amaranths, 11–31; cultivated cacao, 381–397; scrotum, 376–378
evolutionary divergence, 132; relationships of plants and insects, 466–481; trends in Crustacea (Malacostraca), 178–184

eye pigments, insects, 60–64
fertile hybrids, *Aster*, 486–488
fertility, pheasant hybrids, 426–444
flower types, basic evolutionary trends, 470–473
Gaither, N., 461–465
Gallus, 427–428
gene, naked, 53; origin of, 40–55
genera of O. Pygocephalmorph, 178
genera and species, experimental investigation of judgments, 260–262
genetic drift, 311–319
genetics, natural populations, 280–294; *Paramecium aurelia*, 461–465
geographic populations, *Drosophila pseudoobscura*, 348–360
Glaessner, M. F., 178–184
Grenada honeycreepers, 445–448
habitat, amaranths, 15–16
Hammen, C. S., 60–64
Harris, B. J., 449–460
Hartman, W. D., 294–297
helminths, in microtine rodents, 361–368
heterozygotes, rate of development, 274–277
hole-nesting birds, 339–347
honeycreepers, 445–448; distribution on Grenada, 446 (fig.)
Hoplitis complex, 133–162; relationships in genera, 145–149 (figs.); taxonomy, 158–159
host physiology, leafhopper, 125–126
homozygotes, rate of development, 274–277
hybrid fertility, fishes, 1
hybridization, interior species of amaranths, 16–23
hybrids, *Aster*, 482–486; cacao, 387–390; cytology, 206–210; *Etheostoma spectabile* and *Percina caprodes*, 1–10; fertility between isolated populations, 185–211; longevity, *Drosophila pseudoobscura*, 348–360
Hubbs, Clark, 1–10
incubating and nestling periods, hole-nesting birds, 344 (fig. 345)
Inger, R., 373–376
insects, eye pigments, 60–64; mutations, 60–64
interbreeding, sympatric species, 320–338
intergeneric hybrids in pheasants, 426–444; age distribution, 438–441; crosses, 430–432; embryonic mortality, 338–441; fertility and hatchability, 443 (tbl.)
intraspecific sympatry, 256–270
inversion, chromosomal, adaptive significance of, 103–105; *Drosophila*, 225–247, long term fluctuations, 248–252 (figs.), phylogeny of arrangements, 255 (fig.)
inversions, distribution, 281–283; heterozygotes, 282 (tbl.), 286 (fig.); homozygotes, 283–284
Irving, L., 257–259
isolating mechanisms, species of *Scaphiopus*, 321–329
Jonsson, U. B., 271–279
Kimball, R. F., 461–465
Kruckeberg, A. R., 185–211
Kurtén, Björn, 412–416
Kusnezov, N., 298–299
Lacertilia, sex chromosomes, 163
Lagomorpha, 417–425; condylarth origin, 422–424; relationships, 418–422; teeth, 422 (fig.)
leafhopper, 113–129; abundance, 115–118 (figs.); change of distribution with time, 120–121; competition (interspecific), 121–122; ecological adjustment, 122–125, distribution, 119–120; geographic distribution (Illinois), 115–118; species, 113; vagility, 122
Leppik, E. E., 466–481
Lewis, H., 110–111
life, origin of, 56–59
lift devices, avian wing, 212–216 (figs.)
locusts, phase and moulting polymorphism, 166–177; quantitive analysis of forms, 171–173
Lower, W. R., 248–256
Lundelius, E. L., 65–83
Malacostraca, evolutionary trends, 174–184; phylogeny, 180 (fig.)
Masupialia, sex chromosomes, 165
Matthey, R., 163–165
Mattoni, R. H. T., 223–247
Mayr, E., 258
Medawar, theory of senescence, 399
Megachilidae, 130–162
meiosis in hybrids, *Streptanthus glandulosus*, 205
Mesophragmatica, *Drosophila*, geographic distribution of species, 303–305 (fig.); morphology, 301–303 (fig.); phylogenetic relationships, 308; species, 300–310; taxonomic status, 300; x-chromosomes, 305–307 (fig.)
Michener, C. D., 130–162
microtine rodents, distribution of helminths in, 361–368
Microtus, 364
migration, amaranths, 11–31
Mitchell, D. F., 225–247
Monotremata, sex chromosomes, 164–165
morphology, *Sceloporus undulatus, olivaceus*, 68–76
moulting polymorphism, locusts, 166–169
Musca domesticus, 60–64
mutants, viability in *Drosophila*, 271–279
mutations, affecting eye pigments, 60–64
naked gene, 53
Nanonycteris veldkampii, 451–452 (figs.)
National Science Foundation, 263
natural coexistence, principles of, 113–129
natural populations, *Drosophila willistoni*, 280–294
natural selection, 311–319, 398–411; of harmful social adaptations, 32–39
Nelson, 106–110
Nematoda, in microtine rodents, 365 (tbl.)
Newman, M., 257
niche, concept of, 126
Nitecki, M. H., 378–380
nucleic acids, survival, 48–49; synthesis, 43; uniqueness, 52–53

origin of gene, 40–55; life, 56–59; tetrapods, 373–376
Ophidia, sex chromosomes, 163
orthogenesis, 107
paleontological species, 378–380
Paramecium aurelia (variety I), 461–465
Paranoplocephala, 362–364
parasitism, leafhopper, 125–126
Parkia, 449–460; *clappertoniana*, 450–452 (figs.); *ulei*, 451–452 (figs.); distribution of variability, 457–458; evolutionary problem of inflorescences, 458; geographical relationships to bats, 455–457
Pavlovsky, O., 311–319
peptide-synthesis mechanisms, 46–48
Periplaneta americana, eye color, 62–64
Percina caprodes, 1–10
Phasianus, 428–429 (fig.)
pheasant hybrids, 426–444
Phormiaregina, eye color, 62–64
phosophorus accumulation, 43–44
phylogeny, Malacostraca, 180 (fig.)
pleiotropy, 398–411
pod, cacao, morphological characteristics, 384
pollen fertility, *Streptanthus glandulosus* hybrids, 195–200 (figs.)
pollinating insects, role in evolution of flower types, 468–470; selective ability, 466–468
pollination, by bats, 449–460
polymorphism, chromosomal, 84; phase and moulting in locusts, 166–177
population, *Paramecium aurelia*, 461–465
populations, cacao of Venezuela, 385–390, leafhopper, 113–129; *Drosophila willistoni*, 385–390
preadaptation, physiological, 372–373
primitive atmosphere, 45–46; energy source, 44–48; wing, 221–224
principles of coexistence, 126–127
progestational agents, 372–373
proteins, survival, 43; synthesis, 48–49; uniqueness, 52–53
Proteriades, 133–162
Pygocephalomorpha, 178
rabbit, 417–425
radiation, DNA reproduction, 51–52; origin of gene, 40–55; ultraviolet, 44–48
rates, development of homo- and heterozygotes, 274–277
Rausch, R., 361–368
recapitulation, floral evolution, 473–475
red locust, growth rates, 167 (fig.); wing pad structures, 169 (fig.)
regression line analysis, 65–83
reproductive isolation, mesophragmatic *Drosophila*, 307–308
reptiles, progestational agents, 372–373; sex chromosomes (Lacertilia, Ophidia, Crocodilia, Chelonia), 163–164 (fig.)
Ripley, S. D., 445–448
Ross, H. H., 113–129
Rovigno, 294–297
Ruibal, R., 376–378
Rutten, M. G., 56–59
Sagan, C., 40–55
salamander, 265–270
San Gabriel river hybrids, 7–10
Sandnes, G. C., 426–444
Santibanez, S. K., 300–310
Sauer, J., 11–31
Savile, D. B. O., 212–224
scales, lateral line (Etheostomatinae), 4–5
Scaphiopus, 320–338; *couchi*, *hurteri*, distribution, 321
Scholander, P., 257
scrotum, evolution of, 376–378
seasonal rhythm, frequencies of gene arrangements, *Drosophila*, 228–238 (figs.), 234, 235, 236
selection, in relation to food (*Drosophila willistoni*), 94–105; in *Ursus* dentition, 413–415
senescence, evolution of, 398–411
sensory mechanisms, anthophilous insects, 475–478
sex chromosomes, amniota, 163–165; birds, 164; mammals, 164–165; reptiles, 163–164
Sceloporus, 65–83; correlation of ecology and morphology, 80–81; ecological comparisons of *olivaceus* and *undulatus*, 76–80; skeletal adaptations, 65–83
sibling, donorism, 33–36; species, *Drosophila willistoni*, 286–289
size frequency distribution, *Sceloporis olivaceus* and *undulatus*, 66, 68, 69 (figs.)
social, adaptations, insects, 32–39; donor, 33
Society for the Study of Evolution, 110–111
Sokal, R. R., 130–162
spadefoots, 320–338
species, ants, 298–299; concept in paleontology, 378–380; cross in *Aster*, 482–486
specificity, helminths in microtine rodents, 361–368
Spiess, E. B., 84–93
sponges, boring, 294–297
Stebbins, G. L., 106–110
Stebbins, R. C., 265–270
Strawn, K., 1–10
Streptanthus glandulosus, 185–211; hybrid cytology, 206–210; meiosis in hybrids, 205; pollen fertility; f. hybrids, meiotic behavior, taxonomic status, 190–200 (figs.); taxonomy of complex, 186–190; variation in hybrid fertility, 186–211
Survival, curves *Drosophila pseudoobscura*, 352–353 (figs.); proteins and nucleic acids, 48–49
sympatric species, spadefoots, 320–338
sympatry, intraspecific in salamanders, 265–270
synthesis, proteins and nucleic acids, 43
Syrmaticus, 424–430
territorial behavior, hole-nesting birds, 390
Tenth International Congress of Genetics, 262–263

tetrapods, origin, 373–376
Theobroma, species, 383–384
Thousa, 294
transformation, regularities in the flower, 106–111
Trematoda, in microtine rodents, 365
tryptophan, 60–64
ultraviolet radiation, as energy source, 44–48
Ursus spelaeus, 412; selection, 413–415; teeth, 413 (fig.)
variability, hybrids, 1
variation, between species, amaranths, 16–23; fertility of hybrids, 185–211
van Brink, J. M., 163–165
Venezuela, cacao culture, 381–383
Vetukhiv, M., 348–360
von Haartman, L., 339–347
viability, *Drosophila mutants,* 271–279; pheasant hybrids, 426–444
Ward, C. L., 60–64
Wasserman, A. O., 320–338
Weismann's theory of senescence, 398–399
West Indian honeycreeper, 445–448
West Indies, *Drosophila willistoni,* 280–294
Williams, D. C., 32–39
Williams, G. C., 32–39, 398–411
Wilson, S., 461–465
Wood, A. E., 417–425
x-chromosomes, mesophragmatic Drosophila, 306–307

OCT 23 1958

TABLE OF CONTENTS

NUMBER 1, MARCH

Relative Variability of Hybrids between the Darters, *Etheostoma spectabile* and *Percina caprodes*. CLARK HUBBS and KIRK STRAWN 1
Recent Migration and Evolution of the Dioecious Amaranths. JONATHAN SAUER 11
Natural Selection of Individually Harmful Social Adaptations Among Sibs, with Special Reference to Social Insects. GEORGE C. WILLIAMS and DORIS C. WILLIAMS 32
Radiation and the Origin of the Gene. CARL SAGAN 40
Origin of Life on Earth, its Evolution and Actualism. M. G. RUTTEN 56
New Mutations Affecting Tryptophan-Derived Eye Pigments in Three Species of Insects. CALVIN L. WARD and CARL S. HAMMEN 60
Skeletal Adaptations in Two Species of *Sceloporus*. ERNEST L. LUNDELIUS 65
Relation between Frequency and Adaptive Value of Chromosomal Arrangements in *Drosophila persimilis*. ELIOT B. SPIESS 84
Selection in *Drosophila willistoni* in Relation to Food. L. C. BIRCH and BRUNO BATTAGLIA 94
Notes and Comments
Regularities of Transformation in the Flower. G. LEDYARD STEBBINS .. 106
Reply to Professor Stebbins' review of: E. Nelson, "Gesetzmässigkeiten der Gestaltwandlung im Blütenbereich, ihre Bedeutung für das Problem der Evolution." ERICH NELSON 108
Report on Eleventh Annual Meeting of the Society for the Study of Evolution. HARLAN LEWIS 110

NUMBER 2, JUNE

Principles of Natural Coexistence Indicated by Leafhopper Populations. HERBERT ROSS 113
A Quantitative Approach to a Problem in Classification. C. D. MICHENER and ROBERT S. SOKOL 130
Sex Chromosomes in Amnoita. R. MATTHEY and J. M. VAN BRINK 163
Phase and Moulting Polymorphism in Locusts. F. O. ALBRECHT and R. E. BLACKITH 166
Evolutionary Trends in Crustacea (Malagostraca). MARTIN F. GLAESSNER 178
Variation in Fertility of Hybrids between Isolated Populations of the Serpentine Species, *Streptanthus glandulosus* Cook. ARTHUR R. KRUCKEBERG 185
Adaptive Evolution in the Avian Wing. D. B. O. SAVILE 212
The Relation of an Inversion System to Recombination in Wild Populations. CARL EPLING, DONALD MITCHELL, and R. H. T. MATTONI 225
Changes in an Inversion System During a Hundred Generations. CARL EPLING and WM. R. LOWER 248
Notes and Comments
The Usefulness of Scholander's Views on Adaptive Insulation of Animals. LAURENCE IRVING 257
An Experimental Investigation of Judgments Concerning Genera and Species. EDGAR ANDERSON 260
Notices 262

NUMBER 3, SEPTEMBER

Intraspecific Sympatry in the Lungless Salamander *Ensatina eschscholtzi*. ROBERT C. STEBBINS 265
Rate of Development of Viability Mutants in *Drosophila melanogaster*. GERT BONNIER and ULLA B. JONSSON 271
Genetics of Natural Populations. XXVI. Chromosomal Variability in Island and Continental Populations of *Drosophila willistoni* from Central America and the West Indies. THEODOSIUS DOBZHANSKY 280
Ecological Niche Differentiation in the Boring Sponges (Clionidae). WILLARD D. HARTMAN 294
Numbers of Species of Ants in Faunae of Different Latitudes. M. KUSNEZOV 298
The Mesophragmatica Group of Species of Drosophila. DANKO BRNCIC and SUSI KOREFF SANTIBAÑEZ 300
An Experimental Study of Interaction between Genetic Drift and Natural Selection. THEODOSIUS DOBZHANSKY and OLGA PAVLOSKY 311
Factors Affecting Interbreeding in Sympatric Species of Spadefoots (*Scaphiopus*). A. O. WASSERMAN 320
Adaptation in Hole-Nesting Birds. LARS VON HAARTMANN 339
Longevity of Hybrids between Geographic Populations of *Drosophila pseudoobscura*. M. VETUKIV 348
Distribution and Specificity of Helminths in Microtine Rodents: Evolutionary Implications. ROBERT RAUSCH 361
Notes and Comments
Cy L Versus Cy L-Pm Technique in *Drosophila melanogaster*. GERT BONNIER 369
Progestational Agents in Reptiles: A Possible Case of Physiological Preadaptation. RICHARD A. EDGREN and DAVID CALHOUN 372
Ecological Aspects of the Origins of the Tetrapods. ROBERT F. INGER .. 373
The Evolution of the Scrotum. R. RUIBAL 376
What is a Paleontological Species? MATTHEW H. NITECKI 378

NUMBER 4, DECEMBER

The Evolution of Cultivated Cacao. R. CIFERRI and F. CIFERRI 381
Pleiotropy, Natural Selection, and the Evolution of Senescence. GEORGE C. WILLIAMS 398
A Case of Darwinian Selection in Bears. BJÖRN KURTÈN 412
What, If Anything, is a Rabbit? ALBERT E. WOOD 417
Fertility and Viability in Intergeneric Pheasant Hybrids. GUNNAR CONRAD SANDNES 426
Comments on the West Indian Honeycreeper or Bananaquit from Grenada and its Near Relative on St. Vincent. S. DILLON RIPLEY 445
The Pollination of *Parkia* by Bats and Its Attendant Evolutionary Problems. H. G. BAKER and B. J. HARRIS 449
Genetic Studies of a Laboratory Population of *Paramecium aurelia*, Variety 1. R. F. KIMBALL, NENITA GAITHER, and STELLA WILSON 461
Evolutionary Relationship Between Entomophilous Plants and Anthophilous Insects. E. E. LEPPIK 466
Fertile Hybrids Derived from a Wide Species Cross in *Aster*. CHARLOTTE J. AVERS 482
Correction 487
Announcements 487
Index 488